TDS2402L 16:9 PCAP
## Light Bar Touch Monitor

Features

+ Flat appearance design

+ Metal shell, ultra-thin shape

+ Commercial grade LCD, LED backlight

+ Resolution 1920X1080FHD@60Hz

+ 10 point projection capacitive touchscreen

+ There are colored light bars all around

+ COB light bar with soft and even lighting

+ Support remote control and serial port control methods

+ Various marquee modes, Colors and speed can be adjusted

+ Video interface: HDMI+VGA

+ Back VESA wall mounting hole

+ Supports Windows/Android/Linux

+ 2-year warranty

Optional

- No Touch

- Pivacy film

- All-in-one(Built in motherboard

| TDS2402L Light bar Touch Monitor Specification	
Model	2402L
Color	Black
Size	23.8inch
Aspect Ratio	16:9
Active Area	527(H)x296(V)mm
Dimensions	582.8X358.2X48.5(mm)
Resolution	1920 X1080FHD @60Hz
Viewing Angle	Horizontal: 89° /89° Vertical: 89°/89°
Number of Colors	16.7M
Brightness	LCD panel: 300cd/m2,PCAP Touch: 275cd/m2
Contrast Ratio	1000:1
Response Time	8ms
Touch technology	PCAP (Projected Capacitive) -10 touch
Touch precision	>2mm
Touch interface	USB 2.0
Light bar	**Control mode:** #1: Remote control(Standard) #2: RS232 ((Options:Provides serial control protocol) **Note:You can only choose one of the two methods above.** **Electrical Parameters：** Lighting angle:180° Working voltage：12V Service life of LED:50,000hours
Video interface	HDMI+VGA
Speaker	Two*2W internal speakers
Input voltage	AC:100-240 VAC, 50/60 Hz
Power Supply	built in power supply
Weight(Unpackage)	9.5KG
Shipping Dimensions	710X480X150(mm）
Temperature	Operating: 0 °C to 40°C; Storage：-20°C to 60°C
Humidity	Operating: 20% to 70%；Storage: 10% to 80%
Sealability	Touchscreen sealed to bezel
MTBF	30,000 hours
VESA Mounting	75 X 75(mm)，100X100(mm)
Warranty	2-Year
Agency Approvals	FCC, CE, ROHS
Support OS	Windows/Linux\Android
What's in the Box	1*USB cable, 1*HDMI cable, 1*AC cable 1*Remote control

TDS2402L-PCAP

582.8

48.5

290

582.8

358.2

522

294.4

358.2

240

100

白色透明
white
transparent

黑色丝印
black
color

显示区域
display
area

582.8

Drawings are in mm

TDS